

The Manager,
DR SONEY LAL PATEL PUBLIC SCHOOL JUHI KANPUR UP
133/61 HAMEERPUR ROAD, JUHI
UTTAR PRADESH, KANPUR, 208014
(M: 91-7860026060)

SUBJECT: -Extension of General Affiliation up to Secondary/Senior Secondary Level.

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of General Affiliation as per details given below:-

Affiliation No used as User ID for both OASIS and LOC/Registration System	2130281
School No	70740
Affiliated for	Extension of General Affiliation
Category	Extension of Affiliation
Period of affiliation	01.04.2023 to 31.03.2028

The above sanction is subject to fulfillment of following conditions:-

1. The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye -Laws-2018.
2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
3. The School is required to apply on online for extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.
4. The school should go through the provision of Affiliation and Examination Bye Laws and subsequent amendment therein as well as circulars and guidelines /instructions issued by the Board time to time and keep a copy here of for reference purpose and is also advised to regularly visit CBSE websites i.e., <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates.
5. The school to renew mandatory certificates from time to time.
6. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.

"The school shall possess valid fire safety certificate and Building safety certificate during functioning of the school which shall be renewed from time to time as per norms".

DEPUTY SECRETARY/JOINT SECRETARY (AFF.)

ENROLMENT TABLE

SN	Location of School	Campus area	Affiliation Allowed	Optimum No. of Sections (From classes I/VI to X/XII)



A	Areas/Cities mentioned in clause 3.6	1600 sqm	Up to Class-X only	10
B	Areas/Cities mentioned in clause 3.6	2400 sqm	Up to Class-XII	24
C	Areas/Cities mentioned in clause 3.6	3200 sqm	Up to Class-XII	28
D	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	2000 sqm	Up to Class-X only	10
E	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	3000 sqm	Up to Class-XII	24
F	Class-X Cities (Clause 3.5) and Areas mentioned in clause 3.7 and Areas/Cities mentioned in clause 3.4	4000 sqm	Up to Class-XII	28
G	Pan India (Clause 3.3)	6000 sqm	Up to Class-XII	38
H	Pan India (Clause 3.2)	8000 sqm	Up to Class-XII	48
I	Pan India (Clause 3.2)	>8000 sqm	Up to Class-XII The number of sections shall be restricted in accordance with 'H' above with land requirement unit scaled down to 2000 square meters i.e. 12 sections for every 2000 square meter additional land.	
<p>The total number of sections taken together for classes XI and XII should not be more than 1/3 of optimum number of section allowed on the basis of land holding for any school.</p> <p>The number of sections and students shall be restricted as per the actual facilities in the school.</p> <p>For class rooms of size less than 500 sq feet the enrolment shall be 0.08 X size of class rooms in sq feet</p>				

Important Notes : NA

School is required to appoint wellness teacher as per affiliation bye laws.

*This is an electronically generated document. It does not need any signature.
To verify the authenticity of the document, please visit
(<http://www.saras.cbse.gov.in/saras/AffiliatedList/ListOfSchdirReport>).*

Print



- 7- राज्य सरकार द्वारा कक्षा 10 पर जो भी आदेश निर्गत किये जायेंगे, तैरिया उनका पालन कीया ।
- 8- विद्यालय का विवाद निर्धारित प्रश्न/सीखानों में रखा जायेगा ।
- 9- उक्त शर्तों में राज्य सरकार के पूर्वानुमोदन के बिना कोई परियोजना/संशोधन का परिसरफ नहीं किया जायेगा ।

2- प्रतिबन्ध यह भी होता कि सीमा द्वारा यह सुनिश्चित किया जाय कि -

- 111 विद्यालय में कार्यरत कर्मचारियों के वेतन/पेंशनों/क्या भ्र: माह के भीतर लागू करके भोजन को अंगत कराया जायेगा ।
- 121 विद्यालय के वर्तमान उपस्थान अति के अभाव एक एक अतिरिक्त श्रु को अंगतया आगामी एक वर्ष के भीतर करके संस्था द्वारा भोजन को अंगत करया जायेगा ।
- 131 सीतापटी के आह्वान में उल्लिखित प्रतिबन्धों के नये धिनु में "शिक्षा निदेशक की पूर्वानुमति" के स्थान पर "भोजन की पूर्वानुमति" का उल्लेख करते हुए संशोधित नियमावली भोजन को दो माह में उपलब्ध कराई जायेगी ।

3- उक्त प्रतिबन्धों का पालन करना संस्था के लिए अनिवार्य होगा और यदि किसी समय यह पाया जाता है कि तैरिया द्वारा उक्त प्रतिबन्धों का पालन नहीं किया जा रहा है उपर्युक्त पालन करने में तत्ता प्रकार की पूरक या शिक्षितक करती जा रही है तो राज्य सरकार द्वारा दुरत अनापत्ति प्रमाण पत्र-हाथ में लिया जायेगा भवदीय.

13वीं मार्च 1996
सुपुता तमिब ।

पुणे 1423111/15-7-1996 मति मी

प्रतिबन्ध निम्नलिखित को सुवर्ण खं आकरक कार्यवाही के हेतु है मित :-

- 1- शिक्षा निदेशक, उत्तर प्रदेश, लखनऊ ।
- 2- मन्त्रीय संपुक्त मिया निदेशक, कानपुर ।
- 3- शिक्षा विद्यालय निरीक्षक, कानपुर नगर ।
- 4- निरीक्षक, राज्य भारतीय विद्यालय उत्तर प्रदेश, लखनऊ ।
- 5- प्रख्यात, डी. सी. सोनेलाल पब्लि पब्लि 13310/6 । कनीस्ट्रे रोड पूटी कानपुर

आता है,



13वीं मार्च 1996
सुपुता तमिब ।

संख्या 01911/2024-2025

प्रारूप-9
नियम 8(2) देखिये

दिनांक 16/01/2025



सोसाइटी के नवीनीकरण का प्रमाण-पत्र
(अधिनियम संख्या 21, 1860 के अधीन)

नवीनीकरण संख्या: R/KAP/14384/2024-2025

पत्रावली संख्या: K-18250

दिनांक: 1994-1995

एतद्वारा प्रमाणित किया जाता है कि Dr SoneyLal Patel Shiksha Sansthan, 133/O/61 Juhi Hamirpur Road, Kanpur Nagar, कानपुर नगर, 208014 को दिये गये रजिस्ट्रीकरण प्रमाण-पत्र संख्या- 938/1994-1995 दिनांक-17/12/1994 को दिनांक-17/12/2024 से पांच वर्ष की अवधि के लिए नवीनीकृत किया गया है।
1100 रूपये की नवीनीकरण फीस सम्यक् रूप से प्राप्त हो गयी है।



Digitally Signed By
(PARAS NATH GUPTA)
1756590BD7AF2ED7D7389DB73D59BF9E554FB597

Date: 16/01/2025 2:09:02 PM, Location: Kanpur.

जारी करने का दिनांक-16/01/2025

सोसाइटी के रजिस्ट्रार,
उत्तर प्रदेश।

:: नोट ::

यह नवीनीकरण प्रमाणपत्र संस्था के हित में निर्गत किया जा रहा है जो संस्था के अन्यथा विधिपूर्वक पंजीकृत रहने की दशा में ही मान्य है। इस नवीनीकरण प्रमाण पत्र से किसी आवेदक, प्रबंध समिति अथवा किसी अन्य संबद्ध/असंबद्ध व्यक्तिके किसी दावे, अधिकार, अनुतोष अथवा मान्यता की पुष्टि नहीं होती है तथा इन प्रयोजनों हेतु इस नवीनीकरण प्रमाण पत्र का प्रयोग किसी न्यायालय में मान्य नहीं है। इस प्रमाण पत्र को केवल संस्था हित में निर्गत किया जा रहा है तथा किसी व्यक्ति विशेष के पक्ष में यह पठनीय नहीं होगा।



20250409 09:50



Office of the District Basic Education Officer KANPUR NAGAR

CERTIFICATE OF SCHOOL RECOGNITION

1. This is to certify that DR SONEY LAL PATEL PUBLIC SCHOOL, 133 O 61 JUHI HAMIRPUR ROAD KANPUR is permanently recognized for Primary(class 1 to 5). The Recognition number allotted to DR SONEY LAL PATEL PUBLIC SCHOOL is KAN0934008568. The applicable terms and conditions of the recognition of your school is annexed.

2. DATE OF ISSUE

15-10-2024(DD/MM/YYYY)

3. Recognition Type

Old

4. School Type

Pre-Primary School and Primary School

5. Recognition No.

KAN0934008568

DATE:- 15-10-2024

PLACE:- KANPUR NAGAR

District Basic Education Officer

Signature valid

Digitally signed by S. B. T. KUMAR RAINA
Date: 2024.10.15 20:21:06
Reason: For Digital Signature
Location: KANPUR NAGAR



Note: This Certificate is digitally signed and downloaded copy from Portal www.prernaup.in



Office of the District Basic Education Officer
KANPUR NAGAR

CERTIFICATE OF SCHOOL RECOGNITION

1. This is to certify that DR SONEY LAL PATEL PUBLIC SCHOOL, 133 O 61 JUHI HAMIRPUR ROAD KANPUR is permanently recognized for Upper Primary(class 6 to 8). The Recognition number allotted to DR SONEY LAL PATEL PUBLIC SCHOOL is 70740. The applicable terms and conditions of the recognition of your school is annexed.

2. DATE OF ISSUE

22-11-2024(DD/MM/YYYY)

3. Recognition Type

Old

4. School Type

Upper Primary School(6 to 8)

5. Recognition No.

70740


DATE:- 22-11-2024

PLACE:- KANPUR NAGAR

District Basic Education Officer
Signature valid
Digitally signed by B. B. TIWARI, R. SINGH
Date: 2024.11.22 12:21:23
Reason: For Digital Signature
Location: KANPUR NAGAR



Note : This Certificate is digitally signed and downloaded copy from Portal www.prnaup.in



BUILDING SAFETY CERTIFICATE

No: ...7.5/6C/25

Dated: 10.../06.../2025

It is certified that the existing building Dr. SONEY LAL PATEL PUBLIC SCHOOL (name of the building or premises) at 133/O/61 Juhi Hamirpur Road, KANPUR NAGER (address) is having block(s) /Floor(s) as per details below.

Detail of Block(s) in school	Block (1) A	Block (2) B	Block (3)	Block (4)	Block (5)	Block (6)
No. of Floor(s) in the Block	Ground First and Second (G+2)	NA	NA	NA	NA	NA

The Building is owned/occupied by Dr. SONEY LAL PATEL PUBLIC SCHOOL, KANPUR NAGER (name of the Institution) have complied with the Building safety requirements in accordance with National Building code Rules, and verified by the officers concerned of Jitendra Pal, PWD, Kanpur Nagar (Name of Department Govt.) on 10.06.2025 (date of inspection) in the presence of Parul Singh Patel, (Manager) 133/O/61 Juhi Hamirpur Road, Kanpur Nagar (name and addresses of the Manager/Secretary or his representative) and that the building/premises is fit for occupancy for running school with effect from June 2025 for a period of Five years in accordance with rule rule and subject to compliance of the specific conditions as appended.

- 1 N.A.
 2 N.A.
 3 N.A.
 4 N.A.

Issued on 10.06.2025 at Kanpur Nagar by

*Strike out whichever is not applicable. In case of Block is more than six use separate sheet for detail.



Signature with Seal:-

Name:-..... Santosh Kumar Soni

Designation:- Assistant Engineer.

Name & Address of Department/Office:- C.D. Bulla, PWD, Kanpur Nagar

प्रारूप-छ (संलग्नक-6)
अग्नि सुरक्षा प्रमाणपत्र (पूर्णता (कम्प्लीशन) अनापत्ति प्रमाणपत्र)

पूर्वाह्वी संख्या : UPFS/2024/107544/KPN/KANPUR NAGAR/2914/CFO
दिनांक : 07-02-2024

प्रमाणित किया जाता है कि मेसर्स DR SONEY LAL PATEL PUBLIC SCHOOL पता 133 OBLIQUE 61 HAMIRPUR ROAD JUHI, JUHI, KANPUR NAGAR तहसील - SADAR प्लाट एरिया 4147 sq.mt (वर्गमीटर), कुल कवर्ड एरिया 3107.63 (वर्ग मीटर), ब्लाकों की संख्या - 1 जिसमें -

ब्लॉक/टावर	प्रत्येक ब्लॉक में तलों की संख्या	बेसमेंट की संख्या	ऊँचाई
DR SONEY LAL PATEL PUBLIC SCHOOL	3	0	10.05 mt.

है। भवन का अधिभोग मेसर्स DR SONEY LAL PATEL PUBLIC SCHOOL द्वारा किया जा रहा है। इनके द्वारा भवन में अग्नि निवारण एवं अग्नि सुरक्षा व्यवस्थाएँ, एनओसीए एवं तत्संबंधी भारतीय मानक ब्यूरो के आईएसओ के अनुसार भवन में स्थापित करायी गयी व्यवस्थाओं का निरीक्षण द्वारा दिनांक 29-02-2024 को भवन स्वामी/भवन स्वामी के प्रतिनिधि श्री PARULSINGH PATEL के साथ किया गया। भवन में अधिस्थापित अग्नि सुरक्षा व्यवस्थाएँ मानकों के अनुसार अधिस्थापित पायी गयी। अतः प्रशस्त भवन को अग्नि सुरक्षा प्रमाणपत्र (फायर सेफ्टी सर्टिफिकेट) एनओसीए की अधिभोग श्रेणी Educational के अन्तर्गत वैधता तिथि 05-03-2024 से 05-03-2027 तक 3 वर्षों के लिए इस शर्त के साथ निर्गत किया जा रहा है कि भवन में नियमानुसार स्थापित सभी अग्निशमन व्यवस्थाओं का अगुरुक्षण करते हुए क्रियाशील बनाये रखा जायेगा। भवन में स्थापित की गयी अग्निशमन व्यवस्थाओं में पायी गयी कमी के कारण किसी भी घटना के लिए मेसर्स DR SONEY LAL PATEL PUBLIC SCHOOL अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें। निर्गत अग्नि सुरक्षा प्रमाणपत्र का नवीनीकरण निर्धारित समयवाधि के अन्दर न कराये जाने पर निर्गत अग्नि सुरक्षा प्रमाणपत्र स्वतः ही निरस्त मान लिया जायेगा, जिसके लिए मेसर्स DR SONEY LAL PATEL PUBLIC SCHOOL अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें।

यह प्रमाण-पत्र आरक्षी द्वारा प्रकृत अधिसूचना, शर्तों के आधार पर निर्गत किया जा रहा है। इनके अन्तर्गत पाए जाने पर निर्गत प्रमाण-पत्र रद्द नहीं होगा।

Note : The School is Constructed & Operational before 2005, The NOC is issued as per G.O. dated 07.01.2022 on (G+2) FLOOR as per the Physical Site Inspection & Verification with the Recommendations of FSSO K-8: 1.To Comply as per UP Fire & Emergency Services Act 2022 2.To Maintain All Fire System in Operational mode Always with DG Supply. 3.To Maintain all Stairs and Keep free Access to All Exits Always and Electrical Safety Audit is Mandatory for entire Premises. 4.To Submit Operational Certificate of Fire System on Half Yearly Basis. 5.The Issued NOC will be Cancelled Automatically in case of any deviation in above Conditions and for any False Information or FSSO Inspection Report.

निर्गत किये जाने का दिनांक : 05-03-2024
स्थान : KANPUR NAGAR

हस्ताक्षर - (डिजिटल रूप से हस्ताक्षरित)

DEEPAK SHARMA

B718C8D899E841A62E9C61C61AA324E0EC704416

05-03-2024

Note:- Kindly check the authentication of NOC by verifying the UID at departmental portal of UP Fire Service.



SELF - CERTIFICATION PROFORMA

Category of application : Section increase


I (i) Divya Wakhale (Principal) of the school DR.SONEY LAL PATEL PUBLIC SCHOOL certify that :

- | | |
|----|--|
| 1 | The following uploaded documents are genuine and valid |
| * | No Objection Certificate No.: NA |
| * | Trust/Society/Company Registration No.: 938/1994-95 |
| * | Trust/Society/Company Registration Issuing Authority : Deputy Registrar |
| * | Trust/Society/Company Registration Expiry Date: 17/12/2029 |
| * | Recognition Certificate No.: KAN0934008568, 70740 |
| * | Recognition Issuing Authority : DISTRICT BASIC EDUCATION OFFICER KANPUR NAGAR |
| * | Recognition Expiry Date: |
| * | Fire Safety Certificate No.: UPFS/2024/107544/KPN/2914 |
| * | Fire Safety Certificate Issuing Authority : Chief Fire Officer |
| * | Fire Safety Certificate Expiry Date: 05/03/2027 |
| * | Building Safety Certificate No.: 75/AE/6C/25 |
| * | Building Safety Certificate Issuing Authority (Not below the rank of Asstt. Engineer in PWD) : Kanpur Nagar Nigam |
| * | Building Safety Certificate Expiry Date: 10/06/2030 |
| * | Land Certificate No: 3061 |
| * | Land Certificate Issuing Authority: Equivalent Land Authority |
| * | Land Certificate is in name of School/Society/Trust/Company duly signed by authorized signatory |
| 2. | That mandatory disclosure has been displayed on the school's website and it's link has been filled in the Part A of the application |
| 3. | That additional rooms with requisite facilities are available for section increase. |
| 4. | That we have uploaded/submitted all the self-attested documents/ information on the School's Web-Portal and link in the application and the same are true and genuine. |
| 5. | Submission of wrong system Generated DEO Certificate / Self-undertaking Certificate or deliberate misrepresentation or fraud may result in summarily rejection of application. |
| 6. | Submission of fraudulent/deliberate misrepresentation/fraud undertaking with intent to obtain affiliation through wrongful means may also lead to penal action against Principal, Manager and authorized signatory of Society. |

Name and Signature(s) :



Date : 13/06/2025



Authorized signatory of Trust/Society/Company



Manager/ Authorised Signatory

Place : KANPUR NAGAR, UTTAR PRADESH

This document is to be digitally signed by the Secretary of the Society/ Trust/ Company.



नगर निगम कानपुर

पत्रांक :- 3718/D/NSA

दिनांक:- 12.02.24

प्रमाण पत्र

प्रमाणित किया जाता है कि सफाई एवं खाद्य विभाग द्वारा दिनांक 10.02.2024 को डा0 सोने लाल पटेल पब्लिक स्कूल, जूही कानपुर नगर का निरीक्षण किया तथा पानी का सैम्पल लिया गया जिसमें पेयजल की गुणवत्ता पेय योग्य एवं विद्यालय में सेनेटरी एवं हाइजेनिक स्थितियां हैल्थ मैनुअल के अनुरूप सही पायी गयी है।

सफाई एवं खाद्य निरीक्षक
नगर निगम कानपुर
सफाई एवं खाद्य निरीक्षक
नगर निगम कानपुर

